

Inhibin β -B Polyclonal Antibody

Catalog_no :	<u>AT5408</u>
Applications :	<u>WB,IHC-p,ELISA</u>
Reactivity :	<u>Human,Mouse,Rat</u>
Category :	<u>抗原抗体</u>
Size :	<u>100μg/50μg/20μg</u>
Gene_name :	<u>INHBB</u>
Protein_name :	<u>Inhibin beta B chain</u>
Humangene_id :	<u>3625</u>
Humanswissprot_no :	<u>P09529</u>
Mousegene_id :	<u>16324</u>
Mouseswissprot_no :	<u>Q04999</u>
Ratgene_id :	<u>25196</u>
Ratswissprot_no :	<u>P17491</u>
Immunogen :	<u>Synthesized peptide derived from Inhibin beta B chain at AA range: 351-400</u>
Specificity :	<u>Inhibin β-B Polyclonal Antibody detects endogenous levels of Inhibin β-B protein.</u>
Formulation :	<u>Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.</u>
Source :	<u>Rabbit</u>
Dilution :	<u>Western Blot: 1/500 - 1/2000. IHC-p: 1/100-1/300. ELISA: 1/20000. Not yet tested in other applications.</u>
Purification :	<u>The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.</u>
Concentration :	<u>1 mg/ml</u>
Storage_stability :	<u>-20°C/1 year</u>
Msds :	<u>MSDS_Antibody.pdf</u>




Other_name : INHBB; Inhibin beta B chain; Activin beta-B chain

Molecular Weight : 45KD


Product Images



Western Blot analysis of HeLa cells using Inhibin β -B Polyclonal Antibody. Antibody was diluted at 1:2000. Secondary antibody was diluted at 1:20000




Western blot analysis of BD-PT5408wb4147442094 lysis using INHBB Antibody antibody. Antibody was diluted at 1:2000. Secondary antibody was diluted at 1:20000



Immunohistochemical analysis of paraffin-embedded human-skin, antibody was diluted at 1:100

Immunohistochemical analysis of paraffin-embedded human-skin, antibody was diluted at 1:100



Immunohistochemical analysis of paraffin-embedded human-brain, antibody was diluted at 1:100

