



FGF-8 Polyclonal Antibody


Catalog_no :	<u>AT5437</u>
Applications :	<u>WB,ELISA</u>
Reactivity :	<u>Human,Mouse,Rat</u>
Category :	<u>抗原抗体</u>
Size :	<u>100µg/50µg/20µg</u>
Gene_name :	<u>FGF8</u>
Protein_name :	<u>Fibroblast growth factor 8</u>
Humangene_id :	<u>2253</u>
Humanswissprot_no :	<u>P55075</u>
Mousegene_id :	<u>14179</u>
Mouseswissprot_no :	<u>P37237</u>
Immunogen :	<u>The antiserum was produced against synthesized peptide derived from the Internal region of human FGF8. AA range:141-190</u>
Specificity :	<u>FGF-8 Polyclonal Antibody detects endogenous levels of FGF-8 protein.</u>
Formulation :	<u>Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.</u>
Source :	<u>Rabbit</u>
Dilution :	<u>Western Blot: 1/500 - 1/2000. ELISA: 1/20000. Not yet tested in other applications.</u>
Purification :	<u>The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.</u>
Concentration :	<u>1 mg/ml</u>
Storage_stability :	<u>-20°C/1 year</u>
Msds :	<u>MSDS_Antibody.pdf</u>
Other_name :	<u>FGF8; AIGF; Fibroblast growth factor 8; FGF-8; Androgen-induced growth factor; AIGF; Heparin-binding growth factor 8; HBGF-8</u>
Molecular Weight :	<u>26KD</u>



专注二抗产品

Biodragon旗下品牌

Product Images



Western Blot analysis of K562 cells using FGF-8 Polyclonal Antibody.. Secondary antibody was diluted at 1:20000