



FGF-16 Polyclonal Antibody


Catalog_no :	<u>AT5441</u>
Applications :	<u>WB,IHC-p,ELISA</u>
Reactivity :	<u>Human,Mouse,Rat</u>
Category :	<u>抗原抗体</u>
Size :	<u>100µg/50µg/20µg</u>
Gene_name :	<u>FGF16</u>
Protein_name :	<u>Fibroblast growth factor 16</u>
Humangene_id :	<u>8823</u>
Humanswissprot_no :	<u>O43320</u>
Mousegene_id :	<u>80903</u>
Mouseswissprot_no :	<u>Q9ESL8</u>
Ratgene_id :	<u>60464</u>
Ratswissprot_no :	<u>O54769</u>
Immunogen :	<u>The antiserum was produced against synthesized peptide derived from the Internal region of human FGF16. AA range:141-190</u>
Specificity :	<u>FGF-16 Polyclonal Antibody detects endogenous levels of FGF-16 protein.</u>
Formulation :	<u>Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.</u>
Source :	<u>Rabbit</u>
Dilution :	<u>Western Blot: 1/500 - 1/2000. IHC-p: 1/100-1/300. ELISA: 1/20000. Not yet tested in other applications.</u>
Purification :	<u>The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.</u>
Concentration :	<u>1 mg/ml</u>
Storage_stability :	<u>-20°C/1 year</u>
Msds :	<u>MSDS_Antibody.pdf</u>




Other_name : FGF16; Fibroblast growth factor 16; FGF-16

Molecular Weight : 24KD

Product Images



Western Blot analysis of K562 cells using FGF-16 Polyclonal Antibody.. Secondary antibody was diluted at 1:20000



Immunohistochemical analysis of paraffin-embedded human-lung, antibody was diluted at 1:100