

## FMO3 Polyclonal Antibody

Catalog\_no: AT5453

Applications: WB,IHC-p,ELISA

Reactivity: Human

Category: 抗原抗体

Size: 100μg/50μg/20μg

Gene\_name: FMO3

Protein\_name: Dimethylaniline monooxygenase [N-oxide-forming] 3

Humangene\_id 2328

:

Humanswissprot P31513

\_no:

Immunogen: The antiserum was produced against synthesized peptide derived from the Internal

region of human FMO3. AA range:101-150

Specificity: FMO3 Polyclonal Antibody detects endogenous levels of FMO3 protein.

Formulation: Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

Source: Rabbit

Dilution: Western Blot: 1/500 - 1/2000. IHC-p: 1/100-1/300. ELISA: 1/20000. Not yet tested in

other applications.

Purification: The antibody was affinity-purified from rabbit antiserum by affinity-chromatography

using epitope-specific immunogen.

Concentration: 1 mg/ml

Storage\_stability -20°C/1 year

:

Msds: MSDS\_Antibody.pdf

Other\_name: FMO3; Dimethylaniline monooxygenase [N-oxide-forming] 3; Dimethylaniline oxidase 3;

FMO II; FMO form 2; Hepatic flavin-containing monooxygenase 3; FMO 3;


Trimethylamine monooxygenase

Molecular


58KD

Weight:


## **Product Images**



Western Blot analysis of HeLa cells using FMO3 Polyclonal Antibody.. Secondary antibody was diluted at 1:20000



Immunohistochemical analysis of paraffin-embedded human-liver, antibody was diluted at 1:100



Immunohistochemical analysis of paraffin-embedded human-liver, antibody was diluted at 1:100

Immunohistochemical analysis of paraffin-embedded human-lung, antibody was diluted at 1:100



