

PI 3-Kinase p110 δ Polyclonal Antibody

Catalog_no :	AT5537
Applications :	WB,IHC-p,ELISA
Reactivity :	Human,Mouse
Category :	抗原抗体
Size :	100 μ g/50 μ g/20 μ g
Gene_name :	PIK3CD
Protein_name :	Phosphatidylinositol 4,5-bisphosphate 3-kinase catalytic subunit delta isoform
Humangene_id :	5293
Humanswissprot_no :	O00329
Mousegene_id :	18707
Mouseswissprot_no :	O35904
Immunogen :	The antiserum was produced against synthesized peptide derived from the N-terminal region of human PIK3CD. AA range:41-90
Specificity :	PI 3-Kinase p110 δ Polyclonal Antibody detects endogenous levels of PI 3-Kinase p110 δ protein.
Formulation :	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source :	Rabbit
Dilution :	Western Blot: 1/500 - 1/2000. IHC-p: 1:100-1:300. ELISA: 1/20000. Not yet tested in other applications.
Purification :	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
Concentration :	1 mg/ml
Storage_stability :	-20°C/1 year
Msds :	MSDS_Antibody.pdf
Other_name :	PIK3CD; Phosphatidylinositol 4,5-bisphosphate 3-kinase catalytic subunit delta isoform; PI3-kinase subunit delta; PI3K-delta; PI3Kdelta; PtdIns-3-kinase subunit delta; Phosphatidylinositol 4,5-bisphosphate 3-kinase 110 kDa catalytic subunit delta;




PtdIns-3-kinase subunit p110-delta; p110delta


Molecular
Weight :

120KD

Product Images



Western Blot analysis of HepG2 cells using PI 3-Kinase p110 δ Polyclonal Antibody.. Secondary antibody was diluted at 1:20000



Immunohistochemical analysis of paraffin-embedded mouse-brain, antibody was diluted at 1:100