

NOXIN Polyclonal Antibody


Catalog_no :	AT5564
Applications :	WB,ELISA
Reactivity :	Human
Category :	抗原抗体
Size :	100µg/50µg/20µg
Gene_name :	NOXIN
Protein_name :	Nitric oxide-inducible gene protein
Humangene_id :	220042
Humanswissprot_no :	Q8IXT1
Mousegene_id :	
Mouseswissprot_no :	Q6NZG4
Ratgene_id :	
Ratswissprot_no :	
Immunogen :	The antiserum was produced against synthesized peptide derived from the Internal region of human NOXIN. AA range:111-160
Specificity :	NOXIN Polyclonal Antibody detects endogenous levels of NOXIN protein.
Formulation :	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source :	Rabbit
Dilution :	Western Blot: 1/500 - 1/2000. ELISA: 1/10000. Not yet tested in other applications.
Purification :	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
Concentration :	1 mg/ml
Storage_stability :	-20°C/1 year
Msds :	MSDS_Antibody.pdf



Other_name : NOXIN; C11orf82; Nitric oxide-inducible gene protein

Molecular Weight : 85KD

Product Images



Western Blot analysis of 823, 293T, AD293, Hela, HepG2 cells using NOXIN Polyclonal Antibody. Antibody was diluted at 1:2000. Secondary antibody was diluted at 1:20000