

CD89 Polyclonal Antibody


Catalog_no :	AT5568
Applications :	WB,IHC-p,ELISA
Reactivity :	Human
Category :	抗原抗体
Size :	100µg/50µg/20µg
Gene_name :	FCAR
Protein_name :	Immunoglobulin alpha Fc receptor
Humangene_id :	2204
Humanswissprot_no :	P24071
Ratgene_id :	
Ratswissprot_no :	
Immunogen :	The antiserum was produced against synthesized peptide derived from the Internal region of human FCAR. AA range:31-80
Specificity :	CD89 Polyclonal Antibody detects endogenous levels of CD89 protein.
Formulation :	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source :	Rabbit
Dilution :	Western Blot: 1/500 - 1/2000. IHC-p: 1:100-1:300. ELISA: 1/10000. Not yet tested in other applications.
Purification :	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
Concentration :	1 mg/ml
Storage_stability :	-20°C/1 year
Msds :	MSDS_Antibody.pdf
Other_name :	FCAR; CD89; Immunoglobulin alpha Fc receptor; IgA Fc receptor; CD89
Molecular Weight :	32KD




专注二抗产品

Biodragon旗下品牌

Product Images



Western Blot analysis of NIH-3T3 cells using CD89 Polyclonal Antibody.. Secondary antibody was diluted at 1:20000



Immunohistochemical analysis of paraffin-embedded human-tonsils, antibody was diluted at 1:100