

## SR-1D Polyclonal Antibody

Catalog_no :	AT5668
Applications :	WB,IHC-p,ELISA
Reactivity :	Human,Mouse,Rat
Category :	抗原抗体
Size :	100µg/50µg/20µg
Gene_name :	HTR1D
Protein_name :	5-hydroxytryptamine receptor 1D
Humangene_id :	<a href="#">3352</a>
Humanswissprot_no :	<a href="#">P28221</a>
Mousegene_id :	<a href="#">15552</a>
Mouseswissprot_no :	<a href="#">Q61224</a>
Ratgene_id :	<a href="#">25323</a>
Ratswissprot_no :	<a href="#">P28565</a>
Immunogen :	Synthesized peptide derived from SR-1D . at AA range: 120-200
Specificity :	SR-1D Polyclonal Antibody detects endogenous levels of SR-1D protein.
Formulation :	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source :	Rabbit
Dilution :	Western Blot: 1/500 - 1/2000. IHC-p: 1:100-1:300. ELISA: 1/10000. Not yet tested in other applications.
Purification :	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
Concentration :	1 mg/ml
Storage_stability :	-20°C/1 year
Msds :	<a href="#">MSDS_Antibody.pdf</a>




Other\_name : HTR1D; HTR1DA; HTRL; 5-hydroxytryptamine receptor 1D; 5-HT-1D; 5-HT1D; 5-HT-1D-alpha; Serotonin receptor 1D

---


Molecular Weight : 41KD

---

## Product Images



Western blot analysis of HEPG2 823 293T AD293 HELA using SR-1D antibody. Antibody was diluted at 1:500. Secondary antibody was diluted at 1:20000



Immunohistochemical analysis of paraffin-embedded human-brain, antibody was diluted at 1:100