




Adrenocorticotropin(ACTH) (2F4) mouse mAb

Catalog_no :	AM6001
Applications :	IHC-p
Reactivity :	Human
Category :	抗原抗体
Size :	50μl/100μl
Gene_name :	POMC
Protein_name :	Pro-opiomelanocortin (POMC) (Corticotropin-lipotropin) [Cleaved into: NPP; Melanotropin gamma (Gamma-MSH); Potential peptide; Corticotropin (Adrenocorticotrophic hormone) (ACTH); Melanotropin alpha (Alpha-MSH); Corticotropin-like intermediary peptide]
Humanswissprot_no :	P01189
Immunogen :	Synthesized peptide derived from human Adrenocorticotropin(ACTH)
Specificity :	This antibody detects endogenous levels of human Adrenocorticotropin(ACTH)
Formulation :	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source :	Mouse/IgG1, Kappa
Dilution :	IHC-p 1:100-500
Purification :	The antibody was affinity-purified from mouse ascites by affinity-chromatography using specific immunogen.
Concentration :	1 mg/ml
Storage_stability :	-20°C/1 year
Notes :	circulatory system process, generation of precursor metabolites and energy, cell surface receptor linked signal transduction, G-protein coupled receptor protein signaling pathway, neuropeptide signaling pathway, cell-cell signaling, blood circulation

Product Images



Immunohistochemical analysis of paraffin-embedded Pituitary adenoma. 1, Antibody was diluted at 1:200(4°,overnight). 2, Tris-EDTA,pH8.0 was used for antigen retrieval. 3,Secondary antibody was diluted at 1:200(room temperature, 30min).