

## CD23 (7Y3) mouse mAb

Catalog\_no: AM6151

Applications: IHC-p

Reactivity: Human

Category: 抗原抗体

Size: 50μl/100μl

Gene\_name: FCER2 CD23A CLEC4J FCE2 IGEBF

Protein\_name: Low affinity immunoglobulin epsilon Fc receptor (BLAST-2) (C-type lectin domain family

4 member J) (Fc-epsilon-RII) (Immunoglobulin E-binding factor) (Lymphocyte IgE receptor) (CD antigen CD23) [Cleaved into: Low affinity immunoglobulin epsilon Fc re

Humanswissprot P06734

\_no:

Immunogen: Synthesized peptide derived from human CD23

Specificity: This antibody detects endogenous levels of human CD23

Formulation: Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

Source : Mouse/IgG1, Kappa

**Dilution:** IHC-p 1:100-500

Purification: The antibody was affinity-purified from mouse ascites by affinity-chromatography using

specific immunogen.

Concentration: 1 mg/ml

Storage stability -20°C/1 year

:


Notes: positive regulation of immune system process, regulation of immune effector

process, positive regulation of immune effector process, regulation of leukocyte mediated immunity, positive regulation of leukocyte mediated immunity, regulation of

lymphocyt



## **Product Images**



Immunohistochemical analysis of paraffin-embedded Tonsil. 1, Antibody was diluted at 1:200(4°,overnight). 2, Citrate buffer of pH6.0 was used for antigen retrieval. 3,Secondary antibody was diluted at 1:200(room temperature, 30min).