

Prostatic Acid Phosphatase(PSAP)(8F2) mouse mAb

Catalog_no: AM6680

Applications: IHC-p

Reactivity: Human

Category: 抗原抗体

Size: 50μl/100μl

Gene_name: ACPP

Protein_name: Prostatic acid phosphatase (PAP) (EC 3.1.3.2) (5'-nucleotidase) (5'-NT) (EC 3.1.3.5)

(Ecto-5'-nucleotidase) (Thiamine monophosphatase) (TMPase) [Cleaved into: PAPf39]

Humanswissprot P15309

_no:

Immunogen: Synthesized peptide derived from human Prostatic Acid Phosphatase(PSAP)

Specificity: This antibody detects endogenous levels of human Prostatic acid phosphatase (PAP) (EC

3.1.3.2) (5'-nucleotidase) (5'-NT) (EC 3.1.3.5) (Ecto-5'-nucleotidase) (Thiamine

monophosphatase) (TMPase) [Cleaved into: PAPf39]

Formulation: Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

Source: Mouse/IgG1, Kappa

Dilution: IHC-p 1:100-500

Purification: The antibody was affinity-purified from mouse ascites by affinity-chromatography using

specific immunogen.


Concentration: 1 mg/ml

Storage_stability -20°C/1 year

:



Product Images



Immunohistochemical analysis of paraffin-embedded human Prostate. 1,Prostatic Acid Phosphatase(PSAP) Antibody was diluted at 1:200(4°,overnight). 2, EDTA pH 8.0 was used for antigen retrieval