



KLD8B rabbit pAb

| | |
|---------------------|--|
| Catalog_no : | <u>AN3098</u> |
| Applications : | <u>WB</u> |
| Reactivity : | <u>Human, Mouse,Rat</u> |
| Category : | <u>抗原抗体</u> |
| Size : | <u>100µg/50µg/20µg</u> |
| Gene_name : | <u>KLHDC8B FP17659</u> |
| Protein_name : | <u>KLD8B</u> |
| Humangene_id : | <u>200942</u> |
| Humanswissprot_no : | <u>Q8IXV7</u> |
| Mousegene_id : | <u>78267</u> |
| Mouseswissprot_no : | <u>Q9D2D9</u> |
| Ratgene_id : | <u>306589</u> |
| Ratswissprot_no : | <u>Q5XIA9</u> |
| Immunogen : | <u>Synthesized peptide derived from human KLD8B</u> |
| Specificity : | <u>This antibody detects endogenous levels of KLD8B at Human/Mouse/Rat</u> |
| Formulation : | <u>Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.56% sodium azide.</u> |
| Source : | <u>Rabbit</u> |
| Dilution : | <u>WB 1:500-2000</u> |
| Purification : | <u>The antibody was affinity-purified from rabbit serum by affinity-chromatography using specific immunogen.</u> |
| Concentration : | <u>1 mg/ml</u> |
| Storage_stability : | <u>-20°C/1 year</u> |
| Other_name : | <u>Kelch domain-containing protein 8B</u> |
| Molecular | <u>38KD</u> |



Weight :

Background :

This gene encodes a protein which forms a distinct beta-propeller protein structure of kelch domains allowing for protein-protein interactions. Mutations in this gene have been associated with Hodgkin lymphoma. [provided by RefSeq, Sep 2010],
