



KLF2 rabbit pAb

Catalog_no :	<u>AN3112</u>
Applications :	<u>WB</u>
Reactivity :	<u>Human, Mouse,Rat</u>
Category :	<u>抗原抗体</u>
Size :	<u>100µg/50µg/20µg</u>
Gene_name :	<u>KLF2 LKLF</u>
Protein_name :	<u>KLF2</u>
Humangene_id	<u>10365</u>
:	<u></u>
Humanswissprot	<u>Q9Y5W3</u>
_no :	<u></u>
Mousegene_id :	<u>16598</u>
Mouseswissprot	<u>Q60843</u>
_no :	<u></u>
Ratgene_id :	<u>306330</u>
Ratswissprot_no	<u>Q9ET58</u>
:	<u></u>
Immunogen :	<u>Synthesized peptide derived from human KLF2</u>
Specificity :	<u>This antibody detects endogenous levels of KLF2 at Human/Mouse/Rat</u>
Formulation :	<u>Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.70% sodium azide.</u>
Source :	<u>Rabbit</u>
Dilution :	<u>WB 1:500-2000</u>
Purification :	<u>The antibody was affinity-purified from rabbit serum by affinity-chromatography using specific immunogen.</u>
Concentration :	<u>1 mg/ml</u>
Storage_stability	<u>-20°C/1 year</u>
:	<u></u>
Other_name :	<u>Krueppel-like factor 2 (Lung krueppel-like factor)</u>
Molecular	<u>38KD</u>

Weight :

Background : Kruppel-like factors (KLFs) are a family of broadly expressed zinc finger transcription factors. KLF2 regulates T-cell trafficking by promoting expression of the lipid-binding receptor S1P1 (S1PR1; MIM 601974) and the selectin CD62L (SELL; MIM 153240) (summary by Weinreich et al., 2009 [PubMed 19592277]).[supplied by OMIM, Feb 2011],