

## GTD2A rabbit pAb

Catalog_no :	AN3244
Applications :	WB
Reactivity :	Human
Category :	抗原抗体
Size :	100µg/50µg/20µg
Gene_name :	GTF2IRD2 GTF2IRD2A
Protein_name :	GTD2A
Humangene_id :	<u>84163</u>
Humanswisspro _no:	t <u>Q86UP8</u>
Immunogen :	Synthesized peptide derived from human GTD2A
Specificity :	This antibody detects endogenous levels of GTD2A at Human
Formulation :	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.202% sodium azide.
Source :	Rabbit
Dilution :	WB 1:500-2000
Purification :	The antibody was affinity-purified from rabbit serum by affinity-chromatography using specific immunogen.
Concentration :	1 mg/ml
Storage_stability :	-20°C/1 year
Other_name :	General transcription factor II-I repeat domain-containing protein 2A (GTF2I repeat domain-containing protein 2A) (Transcription factor GTF2IRD2-alpha)
Molecular Weight :	105KD
Background :	This gene is one of several closely related genes on chromosome 7 encoding proteins containing helix-loop-helix motifs. These proteins may function as regulators of transcription. The encoded protein is unique in that its C-terminus is derived from CHARLIE8 transposable element sequence. This gene is located in a region of chromosome 7 that is deleted in Williams-Beuren syndrome, and loss of this locus may contribute to the cognitive phenotypes observed in this disease. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Jul 2013],

