



FAM5C rabbit pAb

Catalog_no :	<u>AN3356</u>
Applications :	<u>WB</u>
Reactivity :	<u>Human, Mouse,Rat</u>
Category :	<u>抗原抗体</u>
Size :	<u>100µg/50µg/20µg</u>
Gene_name :	<u>FAM5C DBCCR1L DBCCR1L1</u>
Protein_name :	<u>FAM5C</u>
Humangene_id :	<u>339479</u>
Humanswissprot_no :	<u>Q76B58</u>
Mousegene_id :	<u>215378</u>
Mouseswissprot_no :	<u>Q499E0</u>
Ratgene_id :	<u>286901</u>
Ratswissprot_no :	<u>Q8K1M7</u>
Immunogen :	<u>Synthesized peptide derived from human FAM5C</u>
Specificity :	<u>This antibody detects endogenous levels of FAM5C at Human/Mouse/Rat</u>
Formulation :	<u>Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.314% sodium azide.</u>
Source :	<u>Rabbit</u>
Dilution :	<u>WB 1:500-2000</u>
Purification :	<u>The antibody was affinity-purified from rabbit serum by affinity-chromatography using specific immunogen.</u>
Concentration :	<u>1 mg/ml</u>
Storage_stability :	<u>-20°C/1 year</u>
Other_name :	<u>Protein FAM5C (DBCCR1-like protein 1)</u>
Molecular	<u>85KD</u>



Weight :

Background :

This gene is overexpressed in pituitary tumors but is underexpressed in tongue squamous cell carcinomas, ulcerative colitis, and peri-implantitis. Polymorphisms that increase expression of this gene have been shown to increase vascular inflammation, and an association of this gene with myocardial infarction has been demonstrated. Finally, hypermethylation of this gene may find usefulness as a biomarker for gastric cancer. Two transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Nov 2015],
