

TXLNG rabbit pAb

| | |
|---------------------|--|
| Catalog_no : | AN3608 |
| Applications : | WB |
| Reactivity : | Human, Mouse |
| Category : | 抗原抗体 |
| Size : | 100µg/50µg/20µg |
| Gene_name : | TXLNG CXorf15 ELRG LSR5 |
| Protein_name : | TXLNG |
| Humangene_id : | 55787 |
| Humanswissprot_no : | Q9NUQ3 |
| Mousegene_id : | 353170 |
| Mouseswissprot_no : | Q8BHN1 |
| Immunogen : | Synthesized peptide derived from human TXLNG |
| Specificity : | This antibody detects endogenous levels of TXLNG at Human/Mouse |
| Formulation : | Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide. |
| Source : | Rabbit |
| Dilution : | WB 1 : 500-2000 |
| Purification : | The antibody was affinity-purified from rabbit serum by affinity-chromatography using specific immunogen. |
| Concentration : | 1 mg/ml |
| Storage_stability : | -20°C/1 year |
| Background : | This gene encodes a member of the taxilin family. The encoded protein binds to the C-terminal coiled-coil region of syntaxin family members 1A, 3A and 4A, and may play a role in intracellular vesicle trafficking. This gene is up-regulated by lipopolysaccharide and the gene product may be involved in cell cycle regulation. The related mouse protein was also shown to inhibit activating transcription factor 4-mediated transcription and thus regulate bone mass accrual. Alternatively spliced transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Dec 2009], |



专注二抗产品

Biodragon旗下品牌
