

FCGRN rabbit pAb

Catalog_no :	<u>AT6440</u>
Applications :	<u>WB</u>
Reactivity :	<u>Human, Mouse,Rat</u>
Category :	<u>抗原抗体</u>
Size :	<u>100µg/50µg/20µg</u>
Gene_name :	<u>FCGRT FCRN</u>
Protein_name :	<u>FCGRN</u>
Humangene_id :	<u>2217</u>
Humanswissprot_no :	<u>P55899</u>
Mousegene_id :	<u>14132</u>
Mouseswissprot_no :	<u>Q61559</u>
Ratgene_id :	<u>29558</u>
Ratswissprot_no :	<u>P13599</u>
Immunogen :	<u>Synthesized peptide derived from human FCGRN</u>
Specificity :	<u>This antibody detects endogenous levels of FCGRN at Human/Mouse/Rat</u>
Formulation :	<u>Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.</u>
Source :	<u>Rabbit</u>
Dilution :	<u>WB 1 : 500-2000</u>
Purification :	<u>The antibody was affinity-purified from rabbit serum by affinity-chromatography using specific immunogen.</u>
Concentration :	<u>1 mg/ml</u>
Storage_stability :	<u>-20°C/1 year</u>
Background :	<u>This gene encodes a receptor that binds the Fc region of monomeric immunoglobulin G. The encoded protein transfers immunoglobulin G antibodies from mother to fetus across the placenta. This protein also binds immunoglobulin G to protect the antibody</u>



from degradation. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Apr 2009],
