



ZBED6 rabbit pAb

| | |
|---------------------|---|
| Catalog_no : | <u>AT6573</u> |
| Applications : | <u>WB</u> |
| Reactivity : | <u>Human, Mouse</u> |
| Category : | <u>抗原抗体</u> |
| Size : | <u>100µg/50µg/20µg</u> |
| Gene_name : | <u>ZBED6</u> |
| Protein_name : | <u>ZBED6</u> |
| Humangene_id : | <u>100381270</u> |
| Humanswissprot_no : | <u>P86452</u> |
| Mousegene_id : | <u>667118</u> |
| Mouseswissprot_no : | <u>D2EAC2</u> |
| Immunogen : | <u>Synthesized peptide derived from human ZBED6</u> |
| Specificity : | <u>This antibody detects endogenous levels of ZBED6 at Human/Mouse</u> |
| Formulation : | <u>Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.</u> |
| Source : | <u>Rabbit</u> |
| Dilution : | <u>WB 1 : 500-2000</u> |
| Purification : | <u>The antibody was affinity-purified from rabbit serum by affinity-chromatography using specific immunogen.</u> |
| Concentration : | <u>1 mg/ml</u> |
| Storage_stability : | <u>-20°C/1 year</u> |
| Background : | <u>The protein encoded by this transposon-derived intronless gene is a transcriptional repressor that binds to the consensus sequence 5&apos;-GCTCGC-3&apos;. The encoded protein has been shown to repress IGF2 transcription. This gene is located within the first intron of the ZC3H11A gene. [provided by RefSeq, Jul 2016],</u> |