

## F8I2 rabbit pAb

Catalog\_no: AT6594

Applications: WB

Reactivity: Human, Mouse

Category: 抗原抗体

Size: 100μg/50μg/20μg

Gene\_name: F8A1 F8A; F8A2 F8A; F8A3 F8A

Protein\_name: F8I2

Humangene\_id 474383

:

Humanswissprot P23610

\_no:

Mouseswissprot **Q00558** 

\_no:

Immunogen: Synthesized peptide derived from human F8I2

Specificity: This antibody detects endogenous levels of F8I2 at Human/Mouse

Formulation: Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

Source: Rabbit

**Dilution:** WB 1: 500-2000

Purification: The antibody was affinity-purified from rabbit serum by affinity-chromatography using

specific immunogen.

Concentration: 1 mg/ml

Storage\_stability -20°C/1 year

:

Background: This gene is contained entirely within intron 22 of the factor VIII gene; spans less than 2

kb, and is transcribed in the direction opposite of factor VIII. A portion of intron 22 (int22h), containing F8A, is repeated twice extragenically closer to the Xq telomere. Although its function is unknown, the observation that this gene is conserved in the mouse implies it has some function. Unlike factor VIII, this gene is transcribed abundantly in a wide variety of cell types. [provided by RefSeq, Jul 2008],