

CD79A (phospho-Tyr182) rabbit pAb

Catalog_no :	AP1292
Applications :	WB
Reactivity :	Human
Category :	抗原抗体
Size :	100µg/50µg/20µg
Gene_name :	CD79A IGA MB1
Protein_name :	CD79A (Tyr182)
Humangene_id	973
:	
Humanswissprot	P11912
_no :	
Mousegene_id :	12518
Mouseswissprot	P11911
_no :	
Immunogen :	Synthesized phosho peptide around human CD79A (Tyr182)
Specificity :	This antibody detects endogenous levels of Human CD79A (phospho-Tyr182)
Formulation :	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source :	Rabbit
Dilution :	WB 1:1000-2000
Purification :	The antibody was affinity-purified from rabbit serum by affinity-chromatography using specific immunogen.
Concentration :	1 mg/ml
Storage_stability	-20°C/1 year
:	
Other_name :	B-cell antigen receptor complex-associated protein alpha chain (Ig-alpha) (MB-1 membrane glycoprotein) (Membrane-bound immunoglobulin-associated protein) (Surface IgM-associated protein) (CD antigen CD79a)
Molecular Weight :	25KD
Background :	CD79a molecule(CD79A) Homo sapiens The B lymphocyte antigen receptor is a

multimeric complex that includes the antigen-specific component, surface immunoglobulin (Ig). Surface Ig non-covalently associates with two other proteins, Ig-alpha and Ig-beta, which are necessary for expression and function of the B-cell antigen receptor. This gene encodes the Ig-alpha protein of the B-cell antigen component. Alternatively spliced transcript variants encoding different isoforms have been described. [provided by RefSeq, Jul 2008],
