

CDCP1 (phospho-Tyr743) rabbit pAb

| | |
|---------------------|--|
| Catalog_no : | AP1298 |
| Applications : | WB |
| Reactivity : | Human |
| Category : | 抗原抗体 |
| Size : | 100µg/50µg/20µg |
| Gene_name : | CDCP1 TRASK UNQ2486/PRO5773 |
| Protein_name : | CDCP1 (Tyr743) |
| Humangene_id : | 64866 |
| Humanswissprot_no : | Q9H5V8 |
| Mousegene_id : | 109332 |
| Mouseswissprot_no : | Q5U462 |
| Immunogen : | Synthesized phosho peptide around human CDCP1 (Tyr743) |
| Specificity : | This antibody detects endogenous levels of Human CDCP1 (phospho-Tyr743) |
| Formulation : | Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide. |
| Source : | Rabbit |
| Dilution : | WB 1:1000-2000 |
| Purification : | The antibody was affinity-purified from rabbit serum by affinity-chromatography using specific immunogen. |
| Concentration : | 1 mg/ml |
| Storage_stability : | -20°C/1 year |
| Other_name : | CUB domain-containing protein 1 (Membrane glycoprotein gp140) (Subtractive immunization M plus HEp3-associated 135 kDa protein) (SIMA135) (Transmembrane and associated with src kinases) (CD antigen CD318) |
| Molecular Weight : | 95KD |
| Background : | CUB domain containing protein 1(CDCP1) Homo sapiens This gene encodes a |



transmembrane protein which contains three extracellular CUB domains and acts as a substrate for Src family kinases. The protein plays a role in the tyrosine phosphorylation-dependent regulation of cellular events that are involved in tumor invasion and metastasis. Alternative splicing results in multiple transcript variants of this gene. [provided by RefSeq, May 2013],
