

MARCKS (phospho-Ser159/163) rabbit pAb

Catalog_no: AP1392

WB Applications:

Reactivity: Human, Mouse, Rat

Category: 抗原抗体

Size: 100μg/50μg/20μg

Gene_name: MARCKS MACS PRKCSL

Protein_name : MARCKS (Ser159/163)

Humangene_id 4082

Humanswissprot P29966

_no:

Mousegene_id: 17118

Mouseswissprot P26645

_no:

Ratswissprot_no P30009

Immunogen: Synthesized phosho peptide around human MARCKS (Ser159 and 163)

Specificity: This antibody detects endogenous levels of Human Mouse Rat MARCKS (phospho-

Ser159 or 163)

Formulation: Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

Source: Rabbit

Dilution: WB 1:1000-2000

Purification: The antibody was affinity-purified from rabbit serum by affinity-chromatography using

specific immunogen.

Concentration: 1 mg/ml

Storage_stability -20°C/1 year

Other_name: Myristoylated alanine-rich C-kinase substrate (MARCKS) (Protein kinase C substrate, 80

kDa protein, light chain) (80K-L protein) (PKCSL)

Molecular 32KD



Weight:

Background:

myristoylated alanine rich protein kinase C substrate(MARCKS) Homo sapiens The protein encoded by this gene is a substrate for protein kinase C. It is localized to the plasma membrane and is an actin filament crosslinking protein. Phosphorylation by protein kinase C or binding to calcium-calmodulin inhibits its association with actin and with the plasma membrane, leading to its presence in the cytoplasm. The protein is thought to be involved in cell motility, phagocytosis, membrane trafficking and mitogenesis. [provided by RefSeq, Jul 2008],