

## RIP3 (phospho-Ser227) rabbit pAb

Catalog_no :	AP1468
Applications :	WB
Reactivity :	Human
Category :	抗原抗体
Size :	100µg/50µg/20µg
Gene_name :	RIPK3 RIP3
Protein_name :	RIP3 (Ser227)
Humangene_id :	<a href="#">11035</a>
Humanswissprot_no :	<a href="#">Q9Y572</a>
Mouseswissprot_no :	<a href="#">Q9QZL0</a>
Ratgene_id :	<a href="#">246240</a>
Ratswissprot_no :	<a href="#">Q9Z2P5</a>
Immunogen :	Synthesized phospho peptide around human RIP3 (Ser227)
Specificity :	This antibody detects endogenous levels of Human RIP3 (phospho-Ser227)
Formulation :	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source :	Rabbit
Dilution :	WB 1:1000-2000
Purification :	The antibody was affinity-purified from rabbit serum by affinity-chromatography using specific immunogen.
Concentration :	1 mg/ml
Storage_stability :	-20°C/1 year
Other_name :	Receptor-interacting serine/threonine-protein kinase 3 (EC 2.7.11.1) (RIP-like protein kinase 3) (Receptor-interacting protein 3) (RIP-3)
Molecular Weight :	56KD

**Background :** receptor interacting serine/threonine kinase 3(RIPK3) Homo sapiens The product of this gene is a member of the receptor-interacting protein (RIP) family of serine/threonine protein kinases, and contains a C-terminal domain unique from other RIP family members. The encoded protein is predominantly localized to the cytoplasm, and can undergo nucleocytoplasmic shuttling dependent on novel nuclear localization and export signals. It is a component of the tumor necrosis factor (TNF) receptor-I signaling complex, and can induce apoptosis and weakly activate the NF-kappaB transcription factor. [provided by RefSeq, Jul 2008],

---