

## TACC3 (phospho-Ser558) rabbit pAb

Catalog\_no: AP1521

Applications: WB

Reactivity: Human

Category: 抗原抗体

Size: 100μg/50μg/20μg

Gene\_name: TACC3 ERIC1

Protein\_name : TACC3 (Ser558)

Humangene\_id 10460

Humanswissprot **Q9Y6A5** 

\_no:

Mouseswissprot **Q9||11** 

\_no:

Synthesized phosho peptide around human TACC3 (Ser558) Immunogen:

Specificity: This antibody detects endogenous levels of Human TACC3 (phospho-Ser558)

Formulation: Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

Source: Rabbit

WB 1:1000-2000 Dilution:

Purification: The antibody was affinity-purified from rabbit serum by affinity-chromatography using

specific immunogen.

Concentration: 1 mg/ml

Storage\_stability -20°C/1 year

Transforming acidic coiled-coil-containing protein 3 (ERIC-1) Other\_name:

Molecular Weight:

80KD

Background:

transforming acidic coiled-coil containing protein 3(TACC3) Homo sapiens This gene encodes a member of the transforming acidic colied-coil protein family. The encoded protein is a motor spindle protein that may play a role in stabilization of the mitotic spindle. This protein may also play a role in growth a differentiation of certain cancer

cells. [provided by RefSeq, Nov 2011],

